



**IMSA TECHNICAL BULLETIN IMPC #25-04**

To: All IMSA Michelin Pilot Challenge Competitors  
From: IMSA Competition  
Date: January 9, 2025  
Re: IMSA Balance of Performance: Daytona ROAR Event

One Daytona Blvd.  
Daytona Beach, FL 32114  
P: +1 (386) 310-60



In accordance with Attachment 2 of the IMSA Michelin Pilot Challenge SSR, the following Balance of Performance values are set for the indicated Car Models. The column listed as current is the current specification after any adjustment is applied and thus the required specification for the applicable Event. These decisions come into immediate effect and are applicable until further notice.



GS	Vehicles		Mass	Engine		Ride Height		Fuel			Notes	
	Manufacturer		No Fuel/Driver (kg)	Restrictor (mm)		Minimum Ride Height (mm)		Type	Raw Capacity (L)	Adjusted Capacity (L)	Minimum Full Refueling Time (sec)	
			current	qty.	current	F Current	R Current		current	total		
Aston Martin	Vantage GT4	1475			93.0	102.0	IMSA 100	88.0	88.0	48.0	IMSA ECU Map id 12, GS TR 7.10.4 applies	
Aston Martin	Vantage GT4 EVO	1495			93.0	102.0	IMSA 100	84.0	84.0	48.0	IMSA ECU Map id 5, GS TR 7.10.4 applies	
Audi	R8 GT4	1475	2	43.0	95.0	107.0	IMSA 100	87.0	87.0	48.0		
BMW	M4 GT4 (G82)	1510			139.0	150.0	IMSA 100	85.0	85.0	48.0	SRO Power Level 5, LT +0, GS TR 7.10.4 applies	
BMW	M4 GT4 (G82) EVO	1510			139.0	150.0	IMSA 100	85.0	85.0	48.0	SRO Power Level 5, LT +0, GS TR 7.10.4 applies	
Ford	Mustang GT4 2024	1495	2	37.5	95.0	180.0	IMSA 100	81.0	81.0	48.0		
McLaren	Artura GT4	1405			77.0	95.0	IMSA 100	83.0	83.0	48.0	SRO REST 2, GS TR 7.10.4 a/b/c applies	
Mercedes	AMG GT4	1465			113.0	125.0	IMSA 100	75.0	75.0	48.0	SRO 2019 MAP 4, IMPC TR 7.10.4 a/b/c applies	
Porsche	718 Cayman GT4 RS CS	1365	1	53.0	97.0	100.0	IMSA 100	72.0	72.0	48.0		
Toyota	Supra GT4 (EVO)	1395			175.0	175.0	IMSA 100	87.0	87.0	48.0	2023 EVO. Red Power Stick, GS TR 7.10.4 applies	
Toyota	GR Supra GT4 EVO2	1395			175.0	175.0	IMSA 100	87.0	87.0	48.0	2023 EVO. Red Power Stick, GS TR 7.10.4 applies	





TCR	Vehicles		Mass	Engine	Ground Clearance	Fuel		Notes
	Manufacturer		No Fuel/Driver (kg)	Engine Map Settings	Minimum Ground Clearance (mm)	Type	Fuel Capacity (L)	Minimum Full Refueling Time (sec)
			current	current	Current		current	
	Audi	RS3 LMS TCR	1260	ECU MAP C2	90.0	IMSA 100	74.0	52.0
	Cupra	Leon VZ TCR	1260	ECU MAP C2	90.0	IMSA 100	74.0	52.0
	Honda	Civic FL5 TCR	1275	ECU MAP C3	80.0	IMSA 100	81.0	52.0
	Hyundai	Elantra N TCR	1305	ECU MAP C3	80.0	IMSA 100	79.0	52.0

Approved Engine Calibrations per: [WSC-IMSA Bulletin 01-2025](#)

