



IMSA TECHNICAL BULLETIN IMPC #26-10

To: All IMSA Michelin Pilot Challenge Competitors
From: IMSA Competition
Date: May 26, 2026
Re: IMSA Balance of Performance: Mid Ohio Race Event

One Daytona Blvd.
Daytona Beach, FL 32114
P: +1 (386) 310-60

In accordance with Attachment 2 of the IMSA Michelin Pilot Challenge SSR, the following Balance of Performance values are set for the indicated Car Models. The column listed as current is the current specification after any adjustment is applied and thus the required specification for the applicable Event. These decisions come into immediate effect and are applicable until further notice.





GS	Vehicles		Mass			Engine					Ride Height		Capacity			Notes	
	Manufacturer	Model	Base - No Fuel/Driver (kg)		Adjusted No Fuel/Driver Mass (kg)	Restrictor (mm)				Minimum Ride Height (mm)		Raw Capacity (L)		Altitude Capacity Adjustment (L)	Adjusted Capacity (L)		
			adj	current	adj	Total	qty.	adj	Base	Altitude Adj	Total	F Current	R Current	adj	current		adj
																	Altitude: 214m Altitude Pressure: 987.8 mBar
Aston Martin	Vantage GT4 EVO		1535		1535						93	102		82		82	IMSA ECU Map id 3, GS TR 7.10.4.c.ii applies
BMW	M4 GT4 (G82) EVO		1520		1520						139	150		83		83	SRO Power Level 4, LT +3, GS TR 7.10.4.c.ii applies
Ford	Mustang GT4		1505		1505	2		36.1	+1.4	37.5	95	180		78		78	2025 SRO Calibration, GS TR 7.10.4.c.i applies
McLaren	Artura GT4		1435		1435						77	95		81		81	2026 SRO Calibration, Restricted 1, GS TR 7.10.4.c.ii applies
Mercedes	AMG GT4		1505		1505						113	125		75		75	SRO 2025 Map 4, ECU Reference Pressure = 1010 mbar GS TR 7.10.4.c.iii applies
Porsche	718 Cayman GT4 RS CS	-20	1365	+10	1375	1		53	+2.0	55	97	100	-1	72	+1	73	GS TR 7.10.4.c.i applies
Toyota	GR Supra GT4 EVO2		1395		1395						175	175		80		80	2025 EVO2. Blue Power Stick, GS TR 7.10.4.c.ii applies





TCR		Vehicles		Mass		Engine		Ground Clearance		Notes
		Manufacturer		No Fuel/Driver (kg)		Engine Map Settings		Minimum Ground Clearance (mm)		Fuel Capacity (L)
		adj	current	adj	current	adj	Current	adj	current	
Audi	RS3 LMS TCR		1220		ECU MAP C2	-10	80		77	
Cupra	Leon VZ TCR		1250		ECU MAP C1		90		75	
Honda	Civic FL5 TCR		1275		ECU MAP C4		80		82	
Hyundai	Elantra N TCR		1305	-1 map	ECU MAP C3		80	-2	80	

Approved Engine Calibrations per: [WSC Technical Bulletin N. 05](#)

